



Electric portable Lifter **CA 400 P**

150 kg / 4 m



The all purpose lifter is 'the' multi purpose device, an essential piece of equipment for any business

- Constructed by heat treated, robust aluminum, compact, safety and reliability. Sliding rails for CA 400
- Set-Up without tools, the legs can be release or fold in seconds without tools.
- 4 Legs, versatile and infinitely adjustment, available use in uneven ground with special design can let you **working close to the wall** (design UPTER)
- The **variable speed** control can be soft start or adjust the micro operating height.
- Emergency Stop Button. Press the button for stop raising / lowering immediately.
- Manual operation incase of power failure
- **Automatic slipping-clutch** to prevent to over weight loading.
- Level to ensure the proper set-up while and adjusting the telescoping legs
- Equiped with handle and transport wheels
- Can be transported by van or estate car



230 V or 110 V

UPTER	Basic height	Lifting height	Load capacity	Weight (*)	Dimensions closed	Dimensions operating
CA 400 P	990 mm	4 m	150 kg / 4 m	66 kg	550 x 650 mm	1010 x 970 mm 1600 x 750 mm

Platform 440 x 750 mm, weight 5,3 kg



2 individually adjustable feet

for use in front. According to the load 2 counter weight (delivered) are needed. Each leg has a height adjustable wheel brake to fit almost any configuration site.


Accessoires



Platform outrigger
Lenght 2 x 380 mm








Rotating head





Electric portable Lifter **CA 400 P**



KeM.Tech

www.kemtech-ksf.com

Dimensions = mm





Electric portable Lifter **CA 400 P**

